

ascaso

Steel

For coffee enthusiasts who value performance, seamless workflow, efficiency and modern design.



Industrial elegance meets coffee mastery


The Steel is the ideal choice for coffee enthusiasts who appreciate industrial design and high performance. Its robust, compact build combines functionality and minimalism, while the dual thermoblock system, PID technology, extraction controls and high-quality components ensure consistent, professional-grade coffee and powerful steam performance.




Highlights



THERMOBLOCKS
High-performance insulated dual thermoblock




PID CONTROL
Thermal stability of $\pm 1.5^{\circ}\text{C}$ with PID temperature control




DIGITAL CONTROL
Digital multifunction display with shot-timer



EXTRACTION CONTROLS
Volumetric control, programmable pre-infusion and overpressure valve




DURABLE PARTS
Stainless steel materials, accessories and components



ELEGANT DETAILS
Wooden accessories and barista lights



WATER TANK
2-liter side-removable water tank



DESIGN
Modern and industrial design



TECHNICAL SPECIFICATIONS	STEEL UNO PID	STEEL DUO	STEEL DUO PID	STEEL DUO PLUS
INDEPENDENT THERMOBLOCKS	1	2	2	2
PID TEMPERATURE CONTROL	● (VIA DISPLAY)	● (VIA ELECTRONICS)	● (VIA DISPLAY)	● (VIA DISPLAY)
DIGITAL MULTIFUNCTION DISPLAY	●	-	●	●
VOLUMETRIC CONTROL	2 PROGRAMMABLE DOSES	-	2 PROGRAMMABLE DOSES	2 PROGRAMMABLE DOSES
SHOT TIMER	●	-	●	●
STATISTICS	●	-	●	●
PROGRAMMABLE PRE-INFUSION	●	-	●	●
STEAM TEMPERATURE ADJUSTMENT	110° C TO 165°C IN 1°C INCREMENTS	165°C	110° C TO 165°C IN 1°C INCREMENTS	110° C TO 165°C IN 1°C INCREMENTS
PROGRAMMABLE STAND-BY	●	-	●	●
INSULATED THERMOBLOCK	●	-	●	●
ACTIVE CUP WARMER	●	-	●	●
BARISTA LIGHTS	●	-	●	●
WOOD HANDLES	WALNUT	-	WALNUT	WALNUT
JOYSTICK STEAM LEVER	-	-	-	●
STAINLESS STEEL WIRE TRAY	-	-	-	●
WEIGHT / DIMENSIONS (WXHxD)	12KG / 270X360X315MM	15KG / 270X360X315MM	15KG / 270X360X315MM	15KG / 270X360X315MM
POWER	1050 W	2000 W	2000 W	2000 W
COLOURS	BLACK, WHITE & INOX	BLACK	BLACK, WHITE & INOX	BLACK, WHITE & INOX



(34) 93 475 02 58

ascaso@ascaso.com

www.ascaso.com

The logo for the brand 'ascaso' is positioned in the upper left corner of the advertisement. It consists of the word 'ascaso' in a lowercase, black, sans-serif font. A thin red line extends from the right side of the logo across the top of the image, ending at a red cord that hangs down to a pendant light fixture.

Baby T

For coffee specialists seeking the performance of a professional espresso machine for their home.

Experience professional performance at home


The Baby T is designed for home baristas who value every detail in the art of coffee preparation. Drawing directly from the professional Barista T, it features an adjustable rotary pump and exceptional thermal stability of $\pm 0.5^{\circ}\text{C}$, ensuring precise and consistent results. Its robust, modern industrial design makes it both a stylish and reliable choice, while the combination of a high-performance thermoblock with an independent steam boiler offers up to 50% energy savings compared to traditional espresso machines.

Highlights




THERMOBLOCK

Independent, insulated professional coffee group



PID CONTROL

Thermal stability of $\pm 0,5^{\circ}\text{C}$ with PID temperature control and dynamic pre-heating




DIGITAL CONTROL

Two digital multifunction displays with shot-timer




EXTRACTION CONTROLS

Precise volumetric control and programmable preinfusion



PUMP

Rotary pump with adjustable pump pressure



STEAM BOILER

2,5-liter independent insulated stainless-steel steam boiler




HIGH-QUALITY

Stainless steel materials, accessories and components



APP

App control



DESIGN

Modern and industrial design



TECHNICAL SPECIFICATIONS

BABY T PLUS / *WITH FLOW CONTROL

PID TEMPERATURE CONTROL	● (VIA DISPLAY)
DIGITAL MULTIFUNCTION DISPLAY	2
VOLUMETRIC CONTROL	4 PROGRAMMABLE DOSES
SHOT TIMER	●
STATISTICS	●
PROGRAMMABLE PRE-INFUSION	●
APP CONNECTIVITY (IOS & ANDROID)	●
DYNAMIC PRE-HEATING	●
PROGRAMMABLE STAND-BY	●
ACTIVE CUP WARMER	●
BARISTA LIGHTS	●
WOOD HANDLES	WALNUT
STEAM LEVER	●
WATER TANK 2L	●
MAINS WATER CONNECTION	OPTIONAL
WEIGHT / DIMENSIONS (WXHXD)	35KG / 350X450X430MM
POWER COFFEE/STEAM BOILER	1000/1200 W
*FLOW CONTROL LEVER	OPTIONAL
COLOURS	BLACK, WHITE, CREAM, BLUE, PISTACHIO, RED, YELLOW, INOX

(34) 93 475 02 58

ascaso@ascaso.com

www.ascaso.com

ascaso

Barista T

A professional espresso machine for commercial spaces that meets the demand for more sustainable, energy-efficient, user-friendly, and durable products.


Where coffee craft meets efficiency and sustainability.

Featuring T technology, it combines thermoblock efficiency with a steam boiler to deliver pure, high-quality coffee in just one minute.

Highlights




THERMOBLOCKS
High-performance insulated professional coffee thermoblocks



PID CONTROL
Thermal stability of $\pm 0,5^{\circ}\text{C}$ with PID temperature control and dynamic pre-heating




TOUCH SCREEN
High-definition touch screen for effortless adjustment of machine parameters




DIGITAL CONTROL
Two digital multifunction displays per coffee group



EXTRACTION CONTROLS
Precise volumetric control and programmable preinfusion



PUMP
Rotary pump with adjustable pump pressure



STEAM BOILER
8,5-liter independent stainless-steel steam boiler



HIGH-QUALITY
Stainless steel materials, accessories and components



APP
App control



TECHNICAL SPECIFICATIONS	BARISTA T PRO *2/3 GROUPS	BARISTA T *2/3 GROUPS	BARISTA T ONE *2/3 GROUPS
4,2" LCD DISPLAY	●	-	-
INSULATED TUBES	●	-	-
APP CONNECTIVITY (ANDROID)	●	-	-
INSULATED COFFEE GROUPS	●	●	-
HEATING ELEMENT IN COFFEE GROUPS	●	●	-
INSULATED STEAM BOILER	●	●	-
FEET LARGE DIAMETER +/-30MM	●	●	-
DIGITAL MULTIFUNCTION DISPLAY	2 PER GROUP	2 PER GROUP	2 PER GROUP
VOLUMETRIC CONTROL	4 PROGRAMMABLE DOSES	4 PROGRAMMABLE DOSES	4 PROGRAMMABLE DOSES
MAX CUP HEIGHT: 9 OR 12 CM	●	●	●
THERMAL STABILITY	$\pm 0,5^{\circ}\text{C}$	$\pm 0,5^{\circ}\text{C}$	$\pm 0,5^{\circ}\text{C}$
INDEPENDENT COFFEE GROUPS	●	●	●
INDEPENDENT STEAM BOILER	8,5 L	8,5 L	8,5 L
BARISTA LIGHTS	●	●	●
WEIGHT	*71KG / 93KG	*71KG / 93KG	*71KG / 93KG
DIMENSIONS (WXHXD)MM	*700/920 X475X535	*700/920 X475X535	*700/920 X475X535
POWER PER COFFEE GROUP	1000W	1000W	1000W
POWER GUARD SYSTEM	●	●	●
BOILER POWER	3500W	3500W	3500W



(34) 93 475 02 58

ascaso@ascaso.com

www.ascaso.com

ascaso

Big Dream T

A high-end professional machine that combines timeless vintage design with modern performance.




This is what we consider a specialty dream

A high-end espresso machine built for specialty coffee professionals, combining advanced thermoblock technology, precision, and energy efficiency. Its sleek design enhances any coffee shop, delivering exceptional taste, consistency, and sustainability in every cup.

Highlights




THERMOBLOCKS
High-performance insulated professional coffee thermoblocks



PID CONTROL
Thermal stability of $\pm 0,5^{\circ}\text{C}$ with PID temperature control and dynamic pre-heating




TOUCH SCREEN
High-definition touch screen for effortless adjustment of machine parameters




DIGITAL CONTROL
Two digital multifunction displays per coffee group



VOLUMETRIC CONTROL
Precise volumetric control and programmable preinfusion per group



PUMP
Rotary pump with adjustable pump pressure



STEAM BOILER
Independent insulated stainless-steel steam boiler



HIGH-QUALITY
Stainless steel materials, accessories and components



APP
App control



TECHNICAL SPECIFICATIONS	BIG DREAM T PLUS *2/3 GROUPS	BIG DREAM T ONE *2/3 GROUPS
INSULATED TUBES	●	-
ACTIVE CUP WARMER	●	-
HEATING ELEMENT IN COFFEE GROUPS	●	-
INSULATED STEAM BOILER	●	-
LARGE DIAMETER FEET	●	-
4,2" LCD DISPLAY	●	●
APP CONNECTIVITY (ANDROID)	●	●
INSULATED COFFEE GROUPS	●	●
DIGITAL MULTIFUNCTION DISPLAY	2 PER GROUP	2 PER GROUP
VOLUMETRIC CONTROL	4 PROGRAMMABLE DOSES	4 PROGRAMMABLE DOSES
MAX CUP HEIGHT: 9 OR 12 CM	●	●
THERMAL STABILITY	$\pm 0,5^{\circ}\text{C}$	$\pm 0,5^{\circ}\text{C}$
INDEPENDENT STEAM BOILER	8,5 L	8,5 L
WEIGHT	*71KG / 93KG	*71KG / 93KG
DIMENSIONS (WXHXD)MM	*930/1189 X554X593	*930/1189 X554X593
POWER PER COFFEE GROUP	1000W	1000W
POWER GUARD SYSTEM	●	●
BOILER POWER	3500W	3500W



2GR



3GR



(34) 93 475 02 58

ascaso@ascaso.com

www.ascaso.com

ascaso

H64

A professional grinder
specially designed for
home spaces.

Unlock the full aroma

Its compact design and tailored dimensions make it a convenient accessory for any household. Featuring 64mm burrs, the H64 delivers specialty coffee grinding quickly and quietly.




Highlights



BURR 64MM

Professional
64mm grind



MOTOR

Powerful 245W
motor



SILENT GRIND

Fast and silent




PROGRAMMABLE

3 programmable
doses and
continuous mode
On Demand



300PG HOPPER

300gr big
capacity hopper



MICROMETRIC ADJUSTMENT

Micrometric grind size
adjustment



SINGLE DOSE

Single Dose
Accessories
included



TECHNICAL SPECIFICATIONS	H64
BURR DIAMETER	64 MM
BURR TYPE	FLAT
BURR MATERIAL	STEEL
GRINDING CAPACITY (ESPRESSO)	2,3 - 2,5 G/S
MOTOR POWER	280 W
BEAN HOPPER CAPACITY	300 GR
CONTROL	BUTTONS
DISPLAY	3-DIGIT
DOSING	TIMED (3 DOSES AND MANUAL)
GRIND SETTING	STEPLESS MICROMETRIC
ADJUSTABLE PORTAFILTER HOLDER	•
HOUSING MATERIAL	ALUMINIO
WEIGHT	7 KG
DIMENSIONS (W X H X D)	140 X 350 X 215 MM
VOLTAGE	230 V / 120 V
SINGLE DOSING SET	BLOW-OUT HOPPER, DOSING CUP, CUP FORK

(34) 93 475 02 58

ascaso@ascaso.com

www.ascaso.com



COFFMAN INTERNATIONAL CO.,LTD.

Address

15/96 วิภาวดีรังสิตซอย 56 ถนน วิภาวดี-รังสิต
แขวงตลาดบางเขน เขตหลักสี่ กรุงเทพมหานคร 10210

Opening Hours

Mon - Sat. 8:00 - 17:00 น.
Sunday ปิดทำการ

Contact

TEL : 062-827-7007
FACEBOOK : กาแฟสด Coffman
LINE : @coffmancoffee
INSTAGRAM : @coffmanstagram
YOUTUBE : Coffman Channel
G-MAIL : marketing@coffmancoffee.com

